Author Index

ABBOTT, L. K. (see PEARSON, J. N.), 101
——, (see BRAUNBERGER, P. G.), 107
——, (see BRUNDRETT, M. C.), 539
ABEYSEKERA, R. M. & MCCULLY, M. E., The epidermal surface of the maize root tip. III. Isolation of the surface and characterization of some of its structural and mechanical properties, 321
ALBRECHT, C., BURGESS, T., DELL, B. & LAPEYRIE, F., Chitinase and peroxidase activities are induced in eucalyptus roots according to aggressiveness of Australian ectomycorrhizal strains of *Pisolithus* sp., 217
APOSTOLAKOS, P. (see PANTERIS, E.), 771
ARONNE, G. & WILCOCK, C. C., First evidence of myrmecochory in fleshy-fruited shrubs of the Mediterranean region, 781
AUGÉ, R. M. (see EBEL, R. C.), 495
BAKER, A. J. M., REEVES, R. D. & HAJAR, A. S. M., Heavy metal accumulation and tolerance in British populations of the metallophyte *Thlaspi caerulescens* J. & C. Presl (Brassicaceae), 61
BELLSTEDT, D. U. (see DE KOCK, M.), 749
BENNETT, R. N. & WALLSGROVE, R. M., Tansley Review No. 72. Secondary metabolites in plant defence mechanisms, 617
BERNARDELLO, L. M. (see GALETTO, L.), 465
BERNTSON, G. M., Modelling root architecture: are there tradeoffs between efficiency and potential of resources acquisition?, 483
BIGOT, P. L., OURRY, A. & BOUCAUD, J., Effects of low temperature on nitrate uptake, and xylem and phloem flows of nitrogen, in *Secale cereale* L. and *Brassica napus* L., 675
BONNETT, G. D., SIMS, I. M., ST JOHN, J. A. & SIMPSON, R. J., Purification and characterization of fructans with β-2,1- and β-2,6-glycosidic linkages suitable for enzyme studies, 261
BOUCAUD, J. (see BIGOT, P. L.), 675
BRAUNBERGER, P. G., ABBOTT, L. K. & ROBSON, A. D., The effect of rain in the dry-season on the formation of vesicular–arbuscular mycorrhizas in the growing season of annual clover-based pastures, 107
BROWNLEE, C., Tansley Review No. 70. Signal transduction during fertilization in algae and vascular plants, 399
BRUCE, A., SMITH, S. E. & TESTER, M., The development of mycorrhizal infection in cucumber: effects of P supply on root growth, formation of entry points and growth of infection units, 507
BRUNDRETT, M. C. & ABBOTT, L. K., Mycorrhizal fungus propagules in the jarrah forest, 539
BURGESS, T. (see ALBRECHT, C.), 217
——, DELL, B., MALAJCZUK, N., Variation in mycorrhizal development and growth stimulation by 20 *Pisolithus* isolates inoculated on to *Eucalyptus grandis* W. Hill ex Maiden, 731
CEULEMANS, R. & MOUSSAEU, M., Tansley Review No. 71. Effects of elevated atmospheric CO_2 on woody plants, 425
CHAPELA, I. H. (see VIRET, O.), 123
CHARMAN, D. J., Late-glacial and Holocene vegetation history of the Flow Country, northern Scotland, 155
CLABBY, G. T. (see OSBORNE, B. A.), 363
CLOWES, F. A. L., Origin of the epidermis in root meristems, 335
COCHARD, H. (see ZOTZ, G.), 287
COLINAS, C., MOLINA, R., TRAPPE, J. & PERRY, D., Ectomycorrhizas and rhizosphere microorganisms of seed lings of *Pseudotsuga menziesii* (Mirb.) Franco planted on a degraded site and inoculated with forest soils pretreated with selective biocides, 529
CRAWFORD, R. (see DURALL, D. M.), 719
CURTIS, J. D. & LERSTEN, N. R., Developmental anatomy of internal cavities of epidermal origin in leaves of *Polygonum* (Polygonaceae), 761
DAVIS, H., FITT, B. D. L. & EVANS, R. L., Atypical, green leaf blotch lesions on barley leaves infected by *Rhynchosporium secalis* (Oud.) Davis, 139
DE LA BASTIDE, P. Y., KROPP, B. R. & PICHÉ, Y., Spatial distribution and temporal persistence of discrete genotypes of the ectomycorrhizal fungus *Laccaria bicolor* (Maire) Orton, 547
DE KOCK, M., THERON, K. I., SWART, P., WEILER, E. W. & BELLSTEDT, D. U., Cytokinins in the xylem sap of the dioecious fynbos shrub, *Leucadendron rubrum* Burm. f.: seasonal fluctuations and their possible interaction with morphological characteristics as expressed in the two sexes, 749
DELL, B. (see ALBRECHT, C.), 217
——, (see BURGESS, T.), 731
DICKSON, S. (see SMITH, S. E.), 93
DIXON, K. W. (see HUTTON, B. J.), 557
DUAN, X. (see EBEL, R. C.), 495
DUCKETT, J. G. (see LIGRONE, R.), 601
DUECK, Th. A. (see HEIJNE, B.), 685
DURALL, D. M., MARSHALL, J. D., JONES, M. D., CRAWFORD, R. & TRAPPE, J. M., Morphological changes and photosynthate allocation in ageing *Hebeloma crustuliniforme* (Bull.) Quel. and *Laccaria bicolor* (Maire) Orton mycorrhizas of *Pinus ponderosa* Dougl. ex. Laws, 719
——, TODD, A. W., TRAPPE, J. M., Decomposition of ^{14}C-labelled substrates by ectomycorrhizal fungi in association with Douglas fir, 725
EBEL, R. C., STODOLA, A. J. W., DUAN, X. & AUGÉ, R. M., Non-hydraulic root-to-shoot signalling in mycorrhizal and non-mycorrhizal sorghum exposed to partial soil drying or root severing, 495
ECKARDT, N. A. & PELL, E. J., O_3-induced degradation of Rubisco protein and loss of Rubisco mRNA in relation to leaf age in *Solanum tuberosum* L., 741
EIBLMEIER, M. (see POLLE, A.), 571
EVANS, R. L. (see DAVIS, H.), 139
FERRIS, R. & TAYLOR, G., Elevated CO_2, water relations and biophysics of leaf extension in four chalk grassland herbs, 297
FISHER, P. J., PETRINI, O., PETRINI, L. E. & SUTTON, B. C., Fungal endophytes from the leaves and twigs of *Quercus ilex* L. from England, Majorca and Switzerland, 133
FITT, B. D. L. (see DAVIS, H.), 139
FRANTZEN, J., An epidemiological study of *Puccinia punctiformis* (Str.) Röhl as a stepping-stone to the biological control of *Cirsium arvense* (L.) Scop., 147
GALATIS, B. (see PANTERIS, E.), 771
GALETTO, L., BERNARDELLO, L. M. & JULIANI, H. R., Characteristics of secretion of nectar in *Pyrostegia venusta* (Ker-Gawl.) Miers (Bignoniaceae), 465
GAMMIE, F. (see PAIN, N. A.), 223
GILDOW, F. E. (see LIVINGSTONE III, D. P.), 27
GIOVANNETTI, M., SBRANA, C. & LOGI, C., Early processes involved in host recognition by arbuscular mycorrhizal fungi, 703
GRACE, J. (see LEHTO, T.), 455
GREEN, J. R. (see PAIN, N. A.), 223, 233
GREITNER, C. S., PELL, E. J. & WINNER, W. E., Analysis of aspen foliage exposed to multiple stresses: ozone, nitrogen deficiency and drought, 579
GRIFFITH, G. W. & HEDGER, J. N., Spatial distribution of mycelia of the liana (L-) biotype of the agaric *Crinipellis perniciosa* (Stahel) Singer in tropical forest, 243
HAJAR, A. S. M. (see BAKER, A. J. M.), 61
HARVEY, B. M. R. (see STAIKIDOU, I.), 315
HEDGER, J. N. (see GRIFFITH, G. W.), 243
HEIJNE, B., DUECK, Th. A., VAN DER EERDEN, L. J. & HEIL, G. W., Effects of atmospheric ammonia and ammonium sulphate on vesicular–arbuscular mycorrhizal colonization in three heathland species, 685
HEIL, G. W. (see HEIJNE, B.), 685
HILL, R. S. (see JORDAN, G. J.), 377
HÖGBERG, P., NÄSHOLM, T., HÖGBOM, L. & STÅHL, L., Use of ^{15}N labelling and ^{15}N natural abundance to quantify the role of

mycorrhizas in N uptake by plants: importance of seed N and of changes in the ^{15}N labelling of available N, 515
HÖGBOM, L. (see HÖGBERG, P.), 515
HORSLEY, D. (see OSBORNE, B. A.), 363
HUTTON, B. J., DIXON, K. W. & SIVASITHAMPARAM, K., Ericoid endophytes of Western Australian heaths (Epacridaceae), 557
JAMES, A. C. & MANTELL, S. H., Characterization of developmental phases of the woody perennial shrub, *Solanum aviculare* Forst., 591
JASPER, D. A. (see PEARSON, J. N.), 101
JOHNSTON, A. M. (see RAVEN, J. A.), 271
JONES, M. D. (see DURALL, D. M.), 719
JORDAN, G. J. & HILL, R. S., Past and present variability in leaf length of evergreen members of *Nothofagus* subgenus *Lophozonia* related to ecology and population dynamics, 377
JULIANI, H. R. (see GALETTO, L.), 465
KAGAN-ZUR, V., RAVEH, E., LISCHINSKY, S. & ROTH-BEJERANO, N., Initial association between *Helianthemum* and *Terfezia* is enhanced by low iron in the growth medium, 567
KATSUYA, K. (see MASUHARA, G.), 711
KEMBALL, W. D. & MARSHALL, C., The significance of nodal rooting in *Trifolium repens* L.: ^{32}P distribution and local growth responses, 83
KNIEVEL, D. P. (see LIVINGSTONE III, D. P.), 27
KROPP, B. R. (see DE LA BASTIDE, P. Y.), 547
LAPEYRIE, F. (see ALBRECHT, C.), 217
LEAKE, J. R., Tansley Review No. 69. The biology of myco-heterotrophic ('saprophytic') plants, 171
LEHTO, T. & GRACE, J., Carbon balance of tropical tree seedlings: a comparison of two species, 455
LEITH, I. D. (see WELLBURN, A. R.), 355
LERSTEN, N. R. (see CURTIS, J. D.), 761
LEV-YADUN, S. & WEINSTEIN-EVRON, M., Late Epipalaeolithic wood remains from el-Wad Cave, Mount Carmel, Israel, 391
LIGRONE, R. & DUCKETT, J. G., Cytoplasmic polarity and endoplasmic microtubules associated with the nucleus and organelles are ubiquitous features of food-conducting cells in bryoid mosses (Bryophyta), 601
LISCHINSKY, S. (see KAGAN-ZUR, V.), 567
LIVINGSTONE III, D. P., KNIEVEL, D. P. & GILDOW, F. E., Fructan synthesis in oat. I. Oligomer accumulation in stems during cold hardening and their *in vitro* synthesis in a crude enzyme extract, 27
LOGI, C. (see GIOVANNETTI, M.), 703
MALAJCZUK, N. (see BURGESS, T.), 731
MANSFIELD, T. A. (see RUIZ, L. P.), 473
MANTELL, S. H. (see JAMES, A. C.), 591
MARSHALL, C. (see KEMBALL, W. D.), 83
MARSHALL, J. D. (see DURALL, D. M.), 719
MASUHARA, G. & KATSUYA, K., *In situ* and *in vitro* specificity between *Rhizoctonia* spp. and *Spiranthes sinensis* (Persoon) Ames. var. *amoena* (M. Bieberstein) Hara (Orchidaceae), 711
MCCULLY, M. E. (see ABEYSEKERA, R. M.), 321
MCKEE, I. F. & WOODWARD, F. I., CO_2 enrichment responses of wheat: interaction with temperature, nitrate and phosphate, 447
MENDGEN, K. (see PAIN, N. A.), 233
MOLINA, R. (see COLINAS, C.), 529
MORRIS, C. (see SMITH, S. E.), 93
MOUSSAEU, M. (see CEULEMANS, R.), 425
NÄSHOLM, T. (see HÖGBERG, P.), 515
NEWMAN, J. R. (see RAVEN, J. A.), 271
NOLAN, P. F. (see OSBORNE, B. A.), 363
NYLUND, J.-E. (see WALLANDER, H.), 521
O'CONNELL, R. J. (see PAIN, N. A.), 223, 233
OSBORNE, B. A., CLABBY, G. T., HORSLEY, D. & NOLAN, P. F., Is acclimation required for success in high light environments? A case study using *Mycelis muralis* (L.) Dumort (Asteraceae), 363
OURRY, A. (see BIGOT, P. L.), 675
PAIN, N. A., GREEN, J. R., GAMMIE, F. & O'CONNELL, R. J., Immunomagnetic isolation of viable intracellular hyphae of *Colletotrichum lindemuthianum* (Sacc. & Magn.) Briosi & Cav. from infected bean leaves using a monoclonal antibody, 223
——, O'CONNELL, R. J., MENDGEN, K., GREEN, J. R., Identification of glycoproteins specific to biotrophic intracellular hyphae formed in the *Colletotrichum lindemuthianum*-bean interaction, 233
PANTERIS, E., APOSTOLAKOS, P. & GALATIS, B., Sinuous ordinary epidermal cells: behind several patterns of waviness, a common morphogenetic mechanism, 771
PEARSON, J. N., ABBOTT, L. K. & JASPER, D. A., Phosphorus, soluble carbohydrates and the competition between two arbuscular mycorrhizal fungi colonizing subterranean clover, 101
——, SCHWEIGER, P., *Scutellospora calospora* (Nicol. & Gerd.) Walker & Sanders associated with subterranean clover produces non-infective hyphae during sporulation, 697
PELL, E. J. (see GREITNER, C. S.), 579
——, (see ECKARDT, N. A.), 741
PERRY, D. (see COLINAS, C.), 529
PETRINI, L. E. (see FISHER, P. J.), 133
PETRINI, O. (see VIRET, O.), 123
——, (see FISHER, P. J.), 133
PICHÉ, Y. (see DE LA BASTIDE, P. Y.), 547
POLLE, A., EIBLMEIER, M. & RENNENBERG, H., Sulphate and antioxidants in needles of Scots pine (*Pinus sylvestris* L.) from three SO_2-polluted field sites in eastern Germany, 571
PRESS, M. C. (see SEEL, W. E.), 37
PRITCHARD, J., Tansley Review No. 68. The control of cell expansion in roots, 3
RAVEH, E. (see KAGAN-ZUR, V.), 567
RAVEN, J. A., JOHNSTON, A. M., NEWMAN, J. R. & SCRIMGEOUR, C. M., Inorganic carbon acquisition by aquatic photolithotrophs of the Dighty Burn, Angus, U.K.: uses and limitations of natural abundance measurements of carbon isotopes, 271
REEVES, R. D. (see BAKER, A. J. M.), 61
RENNENBERG, H. (see POLLE, A.), 571
ROBINSON, D., Tansley Review No. 73. The responses of plants to non-uniform supplies of nutrients, 635
ROBINSON, D. C. (see WELLBURN, A. R.), 355
ROBSON, A. D. (see BRAUNBERGER, P. G.), 107
ROLDAN-FAJARDO, B. E., Effect of indigenous arbuscular mycorrhizal endophytes on the development of six wild plants colonizing a semi-arid area in south-east Spain, 115
ROTH-BEJERANO, N. (see KAGAN-ZUR, V.), 567
RUIZ, L. P. & MANSFIELD, T. A., A postulated role for calcium oxalate in the regulation of calcium ions in the vicinity of stomatal guard cells, 473
SBRANA, C. (see GIOVANNETTI, M.), 703
SCHWEIGER, P. (see PEARSON, J. N.), 697
SCRIMGEOUR, C. M. (see RAVEN, J. A.), 271
SEEL, W. E. & PRESS, M. C., Influence of the host on three sub-Arctic annual facultative root hemiparasites. II. Gas exchange characteristics and resource use-efficiency, 37
SELBY, C. (see STAIKIDOU, I.), 315
SHEPPARD, L. J., Causal mechanisms by which sulphate, nitrate and acidity influence frost hardiness in red spruce: review and hypothesis, 69
SIMPSON, R. J. (see BONNETT, G. D.), 261
SIMS, I. M. (see BONNETT, G. D.), 261
SIVASITHAMPARAM, K. (see HUTTON, B. J.), 557
SMITH, F. A. (see SMITH, S. E.), 93
SMITH, S. E., DICKSON, S., MORRIS, C. & SMITH, F. A., Transfer of phosphate from fungus to plant in VA mycorrhizas: calculation of the area of symbiotic interface and of fluxes of P from two different fungi to *Allium porrum* L., 93
——, (see BRUCE, A.), 507
STÅHL, L. (see HÖGBERG, P.), 515
STAIKIDOU, I., SELBY, C. & HARVEY, B. M. R., Stimulation by auxin and sucrose of bulbil formation *in vitro* by single leaf cultures of *Narcissus*, 315
ST JOHN, J. A. (see BONNETT, G. D.), 261
STODOLA, A. J. W. (see EBEL, R. C.), 495
SUNDBERG, B. (see WALLANDER, H.), 521
SUTTON, B. C. (see FISHER, P. J.), 133
SWART, P. (see DE KOCK, M.), 749
TAYLOR, G. (see FERRIS, R.), 297
TESTER, M. (see BRUCE, A.), 507
THERON, K. I. (see DE KOCK, M.), 749
THOMSON, A. (see WELLBURN, A. R.), 355
TODD, A. W. (see DURALL, D. M.), 725
TOTI, L. (see VIRET, O.), 123
TRAPPE, J. (see COLINAS, C.), 529
TRAPPE, J. M. (see DURALL, D. M.), 719, 725

Tyree, M. T. (see Zotz, G.), 287
Unsworth, M. H. (see Wiltshire, J. J.), 349
van der Eerden, L. J. (see Heijne, B.), 685
Viret, O., Toti, L., Chapela, I. H. & Petrini, O., The role of the extracellular sheath in recognition and attachment of conidia of *Discula umbrinella* (Berk. & Br.) Morelet to the host surface, 123
Wallander, H., Nylund, J.-E. & Sundberg, B., The influence of IAA, carbohydrate and mineral concentration in host tissue on ectomycorrhizal development on *Pinus sylvestris* L. in relation to nutrient supply, 521
Wallsgrove, R. M. (see Bennett, R. N.), 617
Weiler, E. W. (see de Kock, M.), 749
Weinstein-Evron, M. (see Lev-Yadun, S.), 391
Wellburn, A. R., Robinson, D. C., Thomson, A. & Leith, I. D., Influence of episodes of summer O_3 on Δ^5 and Δ^9 fatty acids in autumnal lipids of Norway spruce [*Picea abies* (L.) Karst], 355
Wilcock, C. C. (see Aronne, G.), 781
Wiltshire, J. J., Unsworth, M. H. & Wright, C. J., Seasonal changes in water use of ash trees exposed to ozone episodes, 349
Winner, W. E. (see Greitner, C. S.), 579
Winter, K. (see Zotz, G.), 45
Woodward, F. I. (see McKee, I. F.), 447
Wright, C. J. (see Wiltshire, J. J.), 349
Zhang, J., Accumulation of ABA in maize roots in response to root severing, 309
Zotz, G. & Winter, K., A one-year study on carbon, water and nutrient relationships in a tropical C_3-CAM hemi-epiphyte, *Clusia uvitana* Pittier, 45
——, Tyree, M. T., Cochard, H., Hydraulic architecture, water relations and vulnerability to cavitation of *Clusia uvitana* Pittier: a C_3-CAM tropical hemiepiphyte, 287

Subject Index

ABA biosynthesis, 309
Acclimation, 363
Achlorophyllous angiosperms, 171
Acid mist, 69
Adhesion, 123
Aggressiveness, 731
Air pollution, 685
Alkaloids, 617
Ammonia, 685
Ammonium sulphate, 685
Angiosperm, 335, 399
Anthocyanins, 363
Anthyllis vulneraria (kidney vetch), 297
Apoplastic space, 571
Arbuscular mycorrhizal fungi, 101, 115, 703
Arbuscular mycorrhizas, 697
Arbuscule, 93
Ash, 349
Atypical green lesions, 139
Auxin, 315
Avena satia (oat), 27
Bacillariophyceae, 271
Barley leaf blotch, 139
Basidiomycete mating type, 243
Biocides, 529
Biological weed control, 147
Biophysics of cell expansion, 297
Biotrophic pathogen, 233
Brassica napus (winter rape), 675
Bryophyta, 271, 601
Bulb, 315
Calcium ions, 473
Calcium oxalate, 473
Carbon balance, 45
Carbon dioxide, 447
Carbon sources, 271
Catch crops, 675
Cavitation, 287
Cavity development, 761
Cell packets, 321
Cell wall, 3
Cell wall extensibility, 321
Cellular polarity, 601
Cellulose, 725
Charcoal, 567
Chitinase, 217
Chlamydomonas, 399
Chlorophyll *a*:*b* ratio, 363
Chlorophyta, 271
Cichorium intybus, 261
Cirsium arvense, 147
Climate, 377
Clonal integration, 83
Clusia, 45, 287
Clusia uvitana, 287
Coelomycetes, 133
Colletotrichum lindemuthianum, 223, 233
Competence, 591
Competition, 101
Concentration-volume variation, 465
Conifers, 355
Crassulacean acid metabolism, 45
Crinipellis perniciosa, 243
Cyanogenic glucosides, 617
Cytokinins, 749
^{11}C translocation, 719
Desaturation, 355
Determination, 591
Discula umbrinella, 123
Diversity, 377
Drought, 579
Drought physiology, 495
Early Natufian, 391
Ectomycorrhiza, 217, 521, 529, 719, 731
Ectomycorrhizal persistence, 547
Elaiosomes, 781
Elevated CO_2, 297, 425
Endophyte, 123
Endoplasmic microtubules, 601
Entry points, 507
Epidemiology, 147
Epidermal cavity, 761
Epidermal cell, 771
Epidermal surface isolation, 321
Ergosterol, 521
Ericoid mycorrhizas, 557
Erosion, 115
Erratum, 615
Eucalyptus, 217, 539, 731
Eucalyptus forest soil, 539
Eucalyptus grandis, 731
Extracellular matrix, 123
Fagus sylvatica (beech), 123
False break, 107
Fertilization, 399
Flow Country, 155
Flux, 93
Forest, 425
Fraxinus excelsior, 349
Frost hardiness, 69
Fructan oligomers, 27
Fructan pentasaccharides, 261
Fructosyltransferase enzymes, 27
Fucus, 399
Fungal biomass, 521
Fungal distribution, 133
Fungal ecology, 133
Fungal individual, 547
Fungal population biology, 243
Gamete, 399
Glomus, 495, 697, 703
Glomus intraradices, 495
Glomus mosseae, 703
Glucosinolates, 617
Growth, 3, 425
Growth and maintenance respiration, 455
Growth stimulation, 731
Guard cells, 473
Heat balance, 349
Heathland vegetation, 685
Heavy metal accumulation, 61
Heavy metal tolerance, 61
Hebeloma crustuliniforme, 719
Helianthemum sessiliflorum, 567
Hemicellulose, 725
Heteroblasty, 591
High pressure freezing, 233
Holocene, 155
Humidity, 139
Hydraulic architecture, 287
Hymenoscyphus ericae, 557
Hyphae, 93
Immunomagnetic separation, 223
In situ germination, 711
Inoculum or propagules, 539
Interface, 93
Intracellular hyphae, 223, 233
Intracellular transport, 601
Iron adsorption, 567
Isozyme, 557

Israel, 391
1-kestose, 27
6-kestose, 27
(1,1,1)-kestopentaose, 261
(6,6,6)-kestopentaose, 261
Laccaria bicolor, 547, 719
Late Pleistocene, 391
Late-glacial, 155
Leaf anatomy, 761
Lectin cytochemistry, 223
Leucadendron rubrum, 749
Local growth response, 83
Localized nutrient supply, 635
Lolium rigidum, 261
Long-wavelength absorption, 363
Lotus corniculatus (birdsfoot trefoil), 297
Low temperature, 675
Magnoliopsida, 271
Mediterranean, 107
Mediterranean climate, 539
Mediterranean shrublands, 781
Meristem, 335
Methyl jasmonate, 617
Microtubule-organelle associations, 601
Microtubules, 771
Modelling, 507
Monoclonal antibody, 223, 233
Monogalactosyl diglyceride, 355
Morphogenesis, 771
Mount Carmel, 391
Mycelis muralis, 363
Myco-heterotrophy, 171
Mycorrhiza, 171, 515, 539, 567
Myrtus communis, 781
Narcissus, 315
Nectar constituents, 465
Nectar secretion pattern, 465
Needles, 725
Neokestose, 27
Nitrate, 447
Nitrate translocation, 675
Nitrate uptake, 675
Nitrogen, 521, 579, 635
Nitrogen fixation, 515
Nodal rooting, 83
Nodes to flower, 591
Non-host plants, 703
Non-hydraulic signalling, 495
Non-photosynthetic angiosperms, 171
Nutrient uptake, 483, 515
Nymphaeales, 335
Nystose, 27
^{15}N, 515
Oil cavity, 761
Orchid mycorrhiza, 711
Ozone, 579, 741
Ozone episodes, 349
^{32}P distribution, 83
Palaeoecology, 377
Parasitic angiosperms, 37
Peatland, 155
Pectic zymogram, 557
Peroxidase, 217, 571
Phase change, 591
Phenolics, 617
Phenology, 539
Phosphate, 93, 447, 507
Phosphatidyl choline, 355
Phosphorus, 101, 521, 635
Photosynthesis, 37, 425, 455, 579
Photosynthesis (environmental regulation), 45
Photosynthetic nitrogen use-efficiency, 37
Physiognomy, 377
Phytoalexins, 617
Pinus sylvestris (Scots pine), 571
Pioneer, 455
Pisolithus, 217, 731
Plant repopulation, 115
Plantago media (hoary plantain), 297
Polygonaceae, 761
Polygonum, 761
Population genetics, 547
Populus tremuloides (aspen)., 579
Potassium, 635
Potato, 741
Proteaceae, 749
Pseudotsuga, 725
Puccinia punctiformis, 147
Pure culture synthesis, 725
Pyrostegia venusta, 465
Quercus ilex (oak), 133
RAPD analysis, 547
Reclassification, 335
Recognition, 703
Red spruce, 69
Removal effects, 465
Respiration, 425, 455
Restoration ecology, 529
Rhamnus alaternus, 781
Rhizoctonia, 711
Rhizosphere, 529
Rhodophyta, 271
Rhynchosporium secalis, 139
RNA, 741
Root, 309, 635
Root ageing, 719
Root architecture, 483
Root epidermis, 335
Root growth, 507
Root turgor, 309
Rubisco, 741
Salicylic acid, 617
Sanguisorba minor (salad burnet), 297
'Saprophytes', 171
Scotland, 155
Scutellospora, 697
Seasonal fluctuations, 749
Secale cereale (rye), 675
Secretory structure, 761
Seed dispersal by ants, 781
Semi-arid climate, 115
Senecio vulgaris, 483
Senescence, 741
Signalling, 399
Simulation model, 483
Soil inoculum, 529
Solanum aviculare, 591
Soluble carbohydrates, 101
Somatic compatibility, 243
Sorghum bicolor, 495
Specificity, 703, 711
Spiranthes, 711
Sporulation, 697
Stable isotopes, 271
Stomata, 473
Stresses in roots, 321
Subsidiary cells, 473
Subterranean clover, 697
Sucrose, 315
Sulphate toxicity, 69
'Sun' and 'shade' plants, 363
Superoxide dismutase, 571
Systemic effect, 309
Taphonomy, 377
Temperature, 447
Terfezia leonis (desert truffle), 567
Thiols, 571
Thlaspi caerulescens, 61
Thylakoid membranes, 363
Transpiration, 37
Trichoblasts, 335
Trifolium repens (white clover), 83
Trifolium subterraneum (subterranean clover), 101, 107
Triticum aestivum (wheat), 447
Tropical rain-forest, 45
Turgor, 3

VA mycorrhiza, 93
Vegetation history, 155
Vesicular–arbuscular mycorrhiza, 107, 507, 685
Wall differentiation, 771
Wall extensibility, 3
Wall loosening, 3
Water relations, 3, 287, 297, 495
Water use, 349
Water use-efficiency, 37
Winter hardiness, 355
Witches' broom disease, 243
Wood, 391
Woody plants, 425
Xerophyte, 115
Xylem sap, 749
Young maize roots, 321
Zea mays (maize), 309, 321
Zinc hyperaccumulation, 61

REVIEWS

Index of Books Received

BATTEY, N. H., DICKINSON, H. G. & HETHERINGTON, A. M., *Post-translational Modifications in Plants* 397

CHAMBERS, F. M., *Climate Change and Human Impact on the Landscape. Studies in Palaeoecology and Environmental Archaeology* 398

COOKE, R. C. & WHIPPS, J. M., *Ecophysiology of Fungi* 169

CRAWLEY, M. J., *GLIM for Ecologists. Methods in Ecology* 169

DOUGLAS, A. E., *Symbiotic Interactions* 789

HESLOP-HARRISON, J. S. & FLAVELL, R. B. (Eds), *The Chromosome* 789

INGOLD, C. T. & HUDSON, H. J., *The Biology of Fungi* 169

KEARNS, C. A. & INOUYE, D. W., *Techniques for Pollination Biologists* 790

LEA, P. J. & LEEGOOD, R. C. (Eds), *Plant Biochemistry and Molecular Biology* 397

SMITH, J. A. C. & GRIFFITHS, H. (Ed.), *Water Deficits: Plant Responses from Cell to Community* 169

WADE, A. E., KAY, Q. O. N. & ELLIS, R. G., *Flora of Glamorgan* 790

Index of Reviewers

DICKSON, J. H. 398

FITTER, A. H. 790

GIBBS, P. 790

HAY, R. K. M. 169

JENNINGS, D. 170

JONES, G. M. 789

LINDSEY, K. 397

SAUNDERS, I. R. 789

WILLIAMSON, M. 170